




Promed
& Best dent



promed



Promed & best dent



0086 75781262851



0086 13823485385



promedslam@gmail.com



www.dental-promed.com



Add: 202, 2nd Floor, B Block, NO. 1 Middle Fokuo Road,
Shiwan Town, Nanhai District, Foshan, Guangdong


Version : 2022

The picture and parameter are only for reference, will be based on the actual usage if any changes



CE 9101 ISO 15405

Professional
Dental Equipments
Manufacturer



**THE COMPANY'S PRODUCTS SEIKO
MANUFACTURING, QUALITY, VARIETY COMPLETE,
TIMELY SUPPLY AND REASONABLE PRICE.**

promed

Factory workshop



HANDPIECE MANUFACTURER IS ON YOUR SIDE

CONTENT

High Speed Air Turbine Handpiece

Fiber optic
LED light
4 way spray
Anti-retraction
Color
Single way spray
45°
Spare part
OEM

Low Speed Air Turbine Handpiece

Set
Control angle
(1:3, 1:4.2, 1:3.6, 20:1, 4:1, 16:1, 10:1, 64:1, 128:1, 1:1)

Straight
Universal implant
Torque wrench

Handpiece consumables

Diamond bur
Files

Dental equipment

Endo motors with apex locator
Niti file system
Obturation system
Curing light
For restoration Aesthetic Restoration Set
soinc comprehensive treatment
Impant system
Air polishing
Microscope operation
Dental Aerosol Suction System

Dental accessories

Controlled integral dental unit
Lamp
Lamp arm
Sander gun
Plastic series
Tube series
Spareparts for air compressor
Air compressor
Stent Box
Central Suction Unit

Permeate the product and service concept of "universal, high quality and good price".
Be honest, be reliable, and be happy in business!

Dental accessories



Controlled integral dental unit



order: PU610



**European
Classical
Elegant And Durable**

PU610 shape adopts perfect streamlined design, fashionable and elegant; combined with the clinical experience of medical staff and the actual needs of patients, from accessories to program control center, full mold production, with high-strength precision casting process, a new design of a cost-effective dental chair.

Controlled integral dental unit



LED Reflective sensor Lamp
LED with adjustable color temperature



Plug-in fuse, easy for maintenance



Neat piping Assembly of the table



Neat piping Assembly of the unit box



Air-water-electricity switch



Standardized cast Aluminum Mould accessories

>Recommended color



order: PU610-1
sky blue



order: PU610-2
yellow



order: PU610-3
apple green



Rotatable spittoon(Color optional)



Detachable spittoon



Folding headrest



Ergonomically designed chair cushion and backrest



Ultra Low Chair position (<390mm)



Rotatable Unit box

promed

Controlled integral dental unit



order: PU610A



Luxury Advanced Modern

Electrification

Automation Design

The new Electrification and automation design of PU610A provides a more convenient operation experience for medical staff, greatly improving the efficiency of doctors and greatly improving patient comfort.



Controlled integral dental unit



LED Reflective sensor Lamp
LED with adjustable color
temperature



Full Touch main Control Panel
with 9 memory positions



Imported pipe, clearly assembly



Integrated filter cup, easy clean



Touch Assistant Control Panel



Split foot mat



Removable spittoon



Air-water-electricity 3 in 1 switch



Folding headrest



Adjustable Handrest



Ultra Low Chair position (<390mm)



Rotatable Unit box

promed

Controlled integral dental unit



order: PU610-GT

Electrification
Automation Design
The new Electrification and automation design of PU610-GT provides a more convenient operation experience for medical staff, greatly improving the efficiency of doctors and greatly improving patient comfort.



Controlled integral dental unit



LED Reflective sensor Lamp
LED with adjustable color temperature



New design integrated tool tray



Touch Assistant Control Panel



Neat piping Assembly of the unit box



Aluminum instrument arm



Standardized cast Aluminum Mould accessories

NEW UP GRADE
PU610-GT Dental Chair brings you new and comfortable experience!



Rotatable spittoon (Color optional)



Detachable spittoon



Folding headrest



Ergonomically designed chair cushion and backrest



Adjustable Handrest



Air-water-electricity 3 in 1 switch

Proromed

LED DENTAL LAMP



order: PM015-1

Input Voltage: AC/DC 15-24V
Power: 5w
Illumination: 8000-30000L x
Color Temperature: 3500-5500K
Spot size: 80X160mm (Distance for 700mm)
Amount of LED tube: 2 pcs
Dimension of carton: 38x36x21.5cm
GW/NW: 2.5KG/1.5KG
Amount of one carton: 1 piece



order: PM015-2
Double color temperature

Input Voltage: AC/DC 15-24V
Power: 5w
Illumination: 8000-30000L x
Color Temperature: 3500-5500K
Adjust Color Temperature
Spot size: 80X160mm (Distance for 700mm)
Amount of LED tube: 2 pcs
Dimension of carton: 38x36x21.5cm
GW/NW: 2.5KG/1.5KG
Amount of one carton: 1 piece



order: PM015-3
Double color temperature

Input Voltage: AC/DC 12-24V
Power: 12w
Illumination: 8000-15000L x
Color Temperature: 4500-3000K
Spot size: 80X160mm (Distance for 700mm)
Amount of LED tube: 4x2 pcs
Dimension of carton: 39.5x34.5x20cm
GW/NW: 2.1KG/1.4KG
Amount of one carton: 1 piece



order: PM015-7

Double color temperature
Input Voltage: AC/DC 12-24V
Power: 18w
Illumination: 8000-20000L x
Color Temperature: 4500+3000K
Spot size: 80X160mm (Distance for 700mm)
Single yellow light: 3000 k
Amount of LED tube: 6x2 pcs
Dimension of carton: 40x34.5x20cm
GW/NW: 2.5KG/1.5 KG
Amount of one carton: 1 piece



order: PM015-8

Imported LED
Adjustable color temperature
Touch adjustment
Input Voltage: AC/DC 15-24V
Power: 9w
Illumination: 8000-30000L x
Color Temperature: 3500-5500K
Adjust Color Temperature
Spot size: 80X160mm (Distance for 700mm)
Amount of LED tube: 6 pcs
Dimension of carton: 38x36x21.5cm
GW/NW: 2.8KG/1.8 KG
Amount of one carton: 1 piece



order: PM015-9

Imported LED
Adjustable color temperature
Aluminum handle
Input Voltage: AC/DC 15-24V
Power: 12w
Illumination: 8000-30000L x
Color Temperature: 3500-5500K
Adjust Color Temperature
Spot size: 80X160mm (Distance for 700mm)
Amount of LED tube: 8 pcs
Dimension of carton: 40x35x21.5cm
GW/NW: 3.5KG/2.3KG
Amount of one carton: 1 piece



order: PM015-4

Input Voltage: AC/DC 15-24V
Power: 5w
Illumination: 8000-30000L x
Color Temperature: 5000K Color Temperature
Spot size: 80X160mm (Distance for 700mm)
Amount of LED tube: 2 pcs
Dimension of carton: 38x36x21.5cm
GW/NW: 2.5KG/1.5KG
Amount of one carton: 1 piece



order: PM015-5

Input Voltage: AC/DC 12-24V
Power: 9w
Illumination: 8000-30000L x
Color Temperature: 5000K Color Temperature
Spot size: 80X160mm (Distance for 700mm)
Amount of LED tube: 6 pcs
Dimension of carton: 43.5x38.5x19cm
GW/NW: 2KG/1.2KG
Amount of one carton: 1 piece



order: PM015-6

Input Voltage: AC/DC 15-24V
Power: 9w
Illumination: 8000-30000L x
Color Temperature: 5000K Color Temperature
Spot size: 80X160mm (Distance for 700mm)
Amount of LED tube: 6 pcs
Dimension of carton: 38x36x21.5cm
GW/NW: 2.8KG/1.8 KG
Amount of one carton: 1 piece



order: PM015-10
Double color temperature

Input Voltage: AC/DC 12-24V
Power: 28w
Illumination: 8000-23000L x
Color Temperature: 4000-5000K
Adjust Color Temperature
Spot size: 80X160mm (Distance for 700mm)
Single yellow light: 3000 k
Amount of LED tube: 9x2 pcs
Dimension of carton: 44.5x39x22.5cm
GW/NW: 3.2KG/2.1 KG
Amount of one carton: 1 piece

FACULA CHARACTERISTIC



Competition with other brand's products **CONTRAST**

Innovation Characteristic

The feature of the light spots generated by this company patent protected technology:
1 Sharp rectangular sharp edge, imaging of shallow.
2 uniform distribution of light.
3 Light spot cut off performs very good.



cylindrical shape



uneven illuminance



bad lighting cutoff

LED DENTAL LAMP

LED DENTAL IMPLANT LAMP



Dental chair installed
order: PM015-11



Light source: imported LED
Color temperature: 3500-5500K adjustable
Number of lights: 4 groups of LEDs
Lamp size: 350mm
Activity adjustment: 360° adjustable



Dental chair installed
order: PM015-13



Light source: imported
Lamp size: 350mm
Activity adjustment: 360° adjustable
High-strength all-aluminum body
Humanized bilateral display and operation
Smooth appearance and easy to clean

CE Warranty 3 years



Ceiling installed
order: PM015-12

Reflector

Input Voltage: AC/DC15-24V
Power: 30w
Illumination: 30000-70000L x
Color Temperature: 3500-5500K Adjust Color Temperature
Spot size: Ø120mm (Distance for 900mm)
Amount of LED tube: 4 pcs
Dimension of carton: 79*74.5*34cm
GW/NW: 13KG/9KG
Amount of one carton: 1 piece



Ceiling installed
order: PM015-14

Input Voltage: AC/DC15-24V
Power: 28w
Illumination: 30000-80000L x
Color Temperature: 3500-5500K Adjust Color Temperature
Spot size: Ø120mm (Distance for 900mm)
Amount of LED tube: 16 pcs
Dimension of carton: 53*42*36.5cm
GW/NW: 8KG/5.6KG
Amount of one carton: 1 piece

LED DENTAL LAMP

LED DENTAL IMPLANT LAMP



Dental chair installed
order: PM015-15



Light source: imported LED
Number of lights: 20 LEDs
Lamp size: 340X380mm
Activity adjustment: 360° adjustable



Dental chair installed
order: PM015-17



Light source: imported LED
Number of lights: 32 LEDs
Lamp size: Ø450mm
Color temperature: 3500-5500K dimmable
Illumination: 40000-120000Lx
Activity adjustment: 360° adjustable

CE Warranty 3 years



Ceiling installed
order: PM015-16

Input Voltage: AC/DC15-24V
Power: 25w
Illumination: 30000-80000L x
Color Temperature: 3500-5500K Adjust Color Temperature
Spot size: Ø120mm (Distance for 900mm)
Amount of LED tube: 20 pcs
Dimension of carton: 51*47.5*22cm
GW/NW: 6KG/3.6KG
Amount of one carton: 1 piece



Ceiling installed
order: PM015-18

Input Voltage: AC/DC15-24V
Power: 40w
Illumination: 40000-120000L x
Color Temperature: 3500-5500K Adjust Color Temperature
Spot size: Ø120mm (Distance for 900mm)
Amount of LED tube: 4 pcs
Dimension of carton: 64*58*26cm
GW/NW: 10KG/7KG
Amount of one carton: 1 piece

LED DENTAL LAMP

LED DENTAL IMPLANT LAMP



Dental chair installed
order: PM015-19



Ceiling Type Double Heads
order: PM015-21



Double Heads 'effect'
Better illumination
Better Dental Planting
Better Shadowless

Input Voltage: AC /DC15-24V
Power: 30w
Illumination: 30000-90000Lx
Color Temperature: 4000-5500K Adjust Color Temperature
Spot size: Ø120mm (Distance for 900mm)
Amount of LED tube: 28 pcs
Dimension of carton: 60*50*28cm
GW/NW: 7KG / 4.6KG
Amount of one carton: 1 piece

CE Warranty 3 years




Ceiling installed
order: PM015-20




Floor Standed Model
order: PM015-22

Adopting innovative three-lens imaging technique, overcome the weakness of imaging light spot forming by one or two-lens imaging technique, the light spot is not neat at the edge, uneven for the illuminance, the light cutoff is bad.



Adopting the multi-ray overlapping projection technique makes the shadowless effect better.



Dental accessories



order: PM016
Halogen dental lamp



Reflector for PM016
order: PM017-1
reflector



order: PM017-2
halogen bulb



order: PM017-3
halogen bulb with wire



order: PM017-4
bulb holder



order: PM017-5
lamp switch



order: PM001-1
3-way Syringe



order: PM001-2
3-way Straight Syringe



order: PM002
nozzle of 3 way syringe



order: PM003
foot plastic cushion



order: PM004-1
cloth cover for dental chair



water proof
order: PM004-2
cloth cover for dental chair



order: PM005-1
doctor's stool



order: PM005-2
nurse's stool



order: PM005-3
luxury doctor stool



order: PM005-4
doctor's stool



order: PM005-5
luxury doctor stool



order: PM005-6
doctor's stool



small one
order: PM006-1-A
cushion



big one
order: PM006-1-B
cushion



Length: 120mm
order: PM006-2-A
gas spring



Length: 140mm
order: PM006-2-B
gas spring



Length: 160mm
order: PM006-2-C
gas spring



Length: 120mm
order: PM006-3
gas spring




without wheels
order: PM006-4
aluminum alloy feet 1



without wheels
order: PM006-5
plastic feet

Dental accessories

 without wheels order: PM006-6 metal feet with plating	 without wheels order: PM006-7 aluminum alloy feet 2	 order: PM006-8 circle	 for PM005-4 order: PM006-9 turntable	 order: PM006-10 plastic wheels
 order: PM006-11 PU wheels	 order: PM006-12 special silent wheel	 for PM005-4 order: PM006-13 back arm	 for PM005-4 order: PM006-14 chair rising spinner	 for PM005-4 order: PM006-15 small disk
 for PM005-1 order: PM006-16 big disk	 order: PM007-1 round ceramic cuspidor	 for Seena order: PM007-2 plastic cuspidor	 Ø26 cm blue green brown order: PM007-3 glass cuspidor	 Ø26 cm blue green brown order: PM007-4 glass cuspidor
 order: PM007-5 transparent glass cuspidor	 blue green brown order: PM008-1 glass cuspidor set	 blue green brown order: PM008-2 glass cuspidor set	 order: PM008-3 transparent glass cuspidor set	 blue green brown order: Pm009 glass plate
 order: PM010-1 film viewer 24v	 order: PM010-2 euro style panorama film viewer 360°/240mm	 fixed type order: PM011-1 monitor holder plastic	 rotate type order: PM011-2 monitor holder plastic	 rotate type order: PM011-3 monitor holder plastic
 order: PM012-1 lamp arm	 order: PM012-2 luxury lamp arm	 order: PM012-3 lamp arm from ceiling	 order: Pm013 column Ø35/Ø40	 order: PM011-4 balance arm

Dental accessories

 order: PM018-1 4hole round foot pedal	 order: PM018-2 2hole round foot pedal	 order: PM018-3 4hole round foot pedal	 order: PM018-4 2hole round foot pedal	 order: PM018-5 4hole multifunctional foot pedal
 order: PM018-6 2hole multifunctional foot pedal	 order: PM019-1 square foot pedal board	 order: PM019-2 spherical switch	 order: Pm20 dental chair cushion	 order: Pm21 pillow support
 order: Pm022 arm rest	 order: Pm023 gas spring	 without memory order: PM024-1 upside electric motor to control forward and back	 with memory order: PM024-2 upside electric motor to control forward and back	 without memory order: PM024-3 downside electric motor to control rise and fall
 with memory order: PM024-4 downside electric motor to control rise and fall	 full set with valves, pipes order: PM025-1 up-hanging type tool tray	 full set with valves, pipes order: PM025-2 down-hanging type tool tray	 100W order: PM026-1 transformer	 200W order: Pm026-2 transformer
 280W order: PM026-3 transformer	 200M/roll order: PM027-1 tube 3'2	 200M/roll order: PM027-2 tube 4'2.5	 200M/roll order: PM027-3 tube 6'4	 100M/roll order: PM027-4 tube 8'5
 order: PM028-1 4hole handpiece straight tubing	 order: PM028-2 4 hole Composite handpiece tubing	 order: PM029-1 2hole handpiece straight tubing	 order: PM029-2 2 hole handpiece spiral tubing	 length: 1.8m/pce, big size order: PM030-1 pipe in handpiece tubing

Dental accessories

 length: 1.8m/pcs, small size order: PM030-2 pipe in handpiece tubing	 order: PM031-1 3 way syringe straight tubing	 order: PM031-2 3 way syringe spiral tubing	 order: PM032-1 2-hole foot pedal tubing	 order: PM032-2 4-hole foot pedal tubing
 order: PM033 6 hole optical handpiece tubing	 order: PM034-1 weak suction tubing	 order: PM034-2 strong suction tubing	 order: PM034-3 weak suction tubing (for high class dent-unit or handpiece suction system, length: 1.8m/pcs)	 order: PM034-4 strong suction tubing
 order: PM035-1 optical handpiece control box	 order: PM035-2 optical handpiece control box	 order: PM036-1 4 hole handpiece coupling	 order: PM036-2 2 hole handpiece coupling	 order: PM037-1 4-2 adapter
 order: PM037-2 2-4 adapter	 order: PM038-1 quick coupling for scaler	 with anti-retraction order: PM038-2 quick coupling for scaler anti-retraction	 order: PM039-1 weak suction valve	 order: PM039-2 weak suction valve with controlling
 order: PM040 strong suction valve	 order: PM041 simple pressure reducer	 order: PM042-1 4 hole square foot pedal valve	 order: PM042-2 2 hole square foot pedal valve	 order: PM043-1 parallel water adjuster
 order: PM043-2 vertical water adjuster	 order: PM044-1 knob type water exchange switch	 order: PM044-2 push-pull type water exchange switch	 order: PM044-3 toggle type water exchange switch	 order: PM045 integration valve

Dental accessories

 order: PM046 3 tips square water pressing valve	 order: PM047 direction exchange valve	 order: PM048-1 normal open hanging valve Ø10	 order: PM048-2 normal closed hanging valve Ø10	 order: PM048-3 normal open hanging valve Ø8
 order: PM048-4 normal closed hanging valve Ø8	 order: PM049 metal 3 way adapter	 order: PM050 metal 4 way adapter	 order: PM051 metal 5 way adapter	 order: PM052 metal 6 way adapter
 Option: hole size size: 8/5/6/4 order: PM053 metal multi adaptor	 normal open / normal close order: PM054-1 up hanging valve	 normal open / normal close order: PM054-2 small square hanging valve	 normal open / normal close order: PM054-3 big square hanging valve	 Option: connector 3mm/5mm normal open/normal close order: PM054-4 hanging valve for sirona
 order: PM055 copper tip	 order: PM056-1 4 hole foot pedal valve	 order: PM056-2 2 hole foot pedal valve	 order: PM057 air switch lock	 Option: Ø3 2/4 2/6 2/8 2mm order: PM058 copper sleeve
 option: Ø8 2/6 2/4 2mm order: PM059 plastic tube tie	 order: PM060 air brake	 Option: connector (3.2mm/4.8mm) order: PM061 air / water switch	 order: PM062 foot pedal air switch	 order: PM063 debris valve
 copper order: PM064-1 flow regulation	 plastic order: PM064-2 flow regulation	 option: 4.8/3 2/2 7mm order: PM065 one way valve	 order: PM066 3 in 1 valve	 order: PM067 patch for 3 in 1 valve

Dental accessories

				
order: PM068 4 in 1 valve	order: PM069 patch for 4 in 1 valve	order: PM070 a4 patch 30mm*20mm	order: PM071 hexagonal water pressure valve	order: PM072 hexagonal patch
				
order: PM073-1 2 in 1 valve	order: PM073-2 2 in 1 valve	order: PM074 control valve	order: PM075 air-electrical valve	order: PM076-1 electric-magnetic valve:dc/ac
				
order: PM076-2 electric-magnetic valve:dc/ac	order: Pm077 heater 24v/220v/110v	option: 4.8/3.2/2.7mm order: Pm078 copper straight adapter	order: PM079-1 tissue box	order: PM079-2 tissue box
				
order: PM080-1 seal type cup holder	order: PM080-2 bracket type cup holder	order: PM080-3 3 in 1 cup holder	order: PM080-4 3 in 1 deluxe cup holder	order: Pm081 water flushing pipe
				
order: PM082-1 american style holder	order: PM082-2 small single holder	order: PM082-3 big single holder	order: PM082-4 3-sets holder	order: PM082-5 5-sets holder
				
order: PM083-1 auxiliary control box	order: PM083-2 auxiliary control box	order: PM083-3 auxiliary control box	order: PM084-1 leaf-shape rotatable plate	order: PM084-2 round rotatable plate

Dental accessories

				
order: PM085-1 big decorative ring	order: PM085-2 small decorative ring	order: PM086-1 aluminium strong weak suction 1	order: PM086-2 aluminium strong weak suction 2	order: PM086-3 aluminium strong weak suction 3
				
order: PM086-4 aluminium strong weak suction 4	order: PM087-1 white plastic strong and weak suction	order: PM087-2 suction handles	order: PM087-3 suction handles	order: PM088-1 strong suction pipe
				
order: PM088-2 strong suction pipe	order: PM088-3 sharp strong suction pipe	order: PM088-4 weak suction pipe	order: PM088-5 strong suction to weak suction adapter	order: PM088-6 strong suction to weak suction adapter
				
order: PM088-7 big strong suction to small strong suction adapter	order: Pm089 connectors of suction handles	order: PM090-1 white water bottle without cover	order: PM090-2 white water bottle without cover	order: PM090-3 transparent water bottle without cover
				
order: PM090-4 transparent water bottle without cover	order: Pm091 cover for water bottle	order: Pm092 seal ring of water bottle cover	order: Pm093 air return bottle	order: Pm094 dirt collection cup set
				
order: Pm095 strong suction muffler	order: Pm096 multiple direction drainage adaptor	order: PM097-1 strong dirt collector	order: PM097-2 weak dirt collector	order: PM098-1 copper head water filter

Dental accessories

				
order: PM098-2 plastic Water filter	order: PM098-3 aluminium head Water filter	order: PM099-1 filter element for PM097-1	order: PM099-2 filter element for PM097-2	order: PM100-1 square-aluminum air reducer
				
order: PM100-2 round air reducer	order: PM100-3 small air reducer	order: Pm101 square Pressure meter:	order: PM102-1 Round Pressure meter big size	order: PM102-2 Round Pressure meter small size
				
order: PM103-1 short funnel	order: PM103-2 long funnel	order: PM104-1 kit accessories for sputum basin vertical type	order: PM104-2 kit accessories for sputum basin vertical type	order: PM104-3 kit accessories for sputum basin vertical type
				
order: PM105-1 american type suction filter	order: PM105-2 american type suction filter	order: PM105-3 suction filter	order: PM105-4 suction filter	order: PM105-5 suction filter
				
order: PM105-6 suction filter	order: PM105-7 suction filter	order: PM105-8 suction filter	order: PM105-9 suction filter	order: PM105-10 suction filter
				
order: PM105-11 suction filter	order: PM105-12 suction filter	order: PM105-13 suction filter	order: PM105-14 suction filter	order: Pm106 connectors of suction filter Ø6.5mm, Ø8.5mm, Ø9.5mm, Ø11mm, Ø12mm, Ø15mm, Ø18mm

Dental accessories

				
order: PM107-1 selector valve (by air controlling)	order: PM107-2 selector valve (by electricity controlling)	order: PM108-1 male connector for selector valve Ø12mm, Ø14mm, Ø16mm, Ø18mm, Ø20mm, Ø21mm, Ø22mm, Ø25mm, Ø27mm	order: PM108-2 female connector for selector valve Ø12mm, Ø14mm, Ø16mm, Ø18mm, Ø20mm, Ø21mm, Ø22mm, Ø25mm, Ø27mm	order: PM108-3 female connector for selector valve for hard tube
				
order: PM108-4 straight connector	order: PM108-5 straight connector	order: PM108-6 straight connector	order: PM108-7 one-way valve	order: PM108-8 one-way valve
				
order: PM108-9 45° adapter	order: PM108-10 90° adapter	order: PM108-11 90° adapter	order: PM108-12 3 way adapter	order: PM108-13 3 way adapter
				
order: PM109-1 snap	order: PM109-2 seal ring	order: Pm110 handpiece tubing fixed seat	order: PM111-1 drainage T-shape adaptor 3big	order: PM111-2 drainage T-shape adaptor 2 big 1 small
				
order: PM111-3 drainage T-shape adaptor 2 big 1 small	order: PM112-1 small-small adaptor	order: PM112-2 big-big adaptor	order: PM112-3 small-small-big adaptor	order: PM112-4 big-big-small adaptor
				
order: PM112-5 big-big-big adaptor	order: PM112-6 small-small-small adaptor	order: PM112-7 2big-2small adaptor		

Dental accessories

>Spareparts for air compressor

				
Option: Left or Right order: Pm201 cylinder cover	order: Pm202 cylinder shell	order: Pm203 cylinder gasket	for S45W motor order: Pm099-2 connecting rod	for S45W motor order: Pm100-1 connecting rod
				
for S45W motor order: PM205-1 steel bushing	for S45W motor order: PM205-2 steel bushing	order: Pm206 valve plate seal ring	for S45W motor order: PM207-1 eccentric wheel	for S45W motor order: PM207-2 eccentric wheel
				
for S45W motor order: PM208-1 cup leather	for S45W motor order: PM208-2 cup leather	order: PM209-1 square silencer	order: Pm209-2 round silencer	order: Pm210 filter of silencer
				
order: PM211-1 vertical pressure switch	order: PM211-2 horizontal pressure switch	small one order: PM212-1 exhaust solenoid valve	big one order: PM212-2 exhaust solenoid valve	order: Pm213 safe valve
				
option: Internal screw & external screw order: Pm214 ball valve	order: Pm215 drain valve	order: Pm216 capacitor	order: Pm217 rubber foot	order: Pm218 pump crash roll
				
order: Pm219 valve plate	order: Pm220 air lock	order: Pm221 valve plate	order: PM055-2 cylinder seal rubber	option: 8 to 6mm / 6 to 6mm / 4 to 4mm order: PM056 straight adapter

Dental accessories

				
option: 8 to 6mm / 6 to 4mm order: Pm224 transfer adapter	option: 8 to 6mm / 6 to 4mm order: Pm225 throttle valve	option: 10-10-10 mm / 8-8-8 mm / 6-6-6 mm / 4-4-4 mm / 3-3-3 mm order: Pm226 3 way adapter	order: Pm227 4 way adapter	Thread both option: 1/2, 1/4, 1/8 (inch) Tube option: 13mm, 8mm, 6mm, 4mm order: PM228-1 plastic elbow connector
				
Thread both option: 1/4, 1/8 (inch) Tube option: 6mm/8mm order: PM228-2 right angle metal elbow connector	Thread both option: 1/4, 1/8 (inch) Tube option: 10 mm order: PM228-3 round angle metal elbow connector	order: PM229-1 one way valve	order: PM229-2 one way valve	order: PM229-3 one way valve
				
order: PM229-4 one way valve	order: PM229-5 one way valve	Thread both option: 1/2, 1/4, 1/8 (inch) Tube option: 10mm/8mm/6mm/4mm order: Pm230 single way connector	option: 4-4mm / 6-6mm / 8-8mm / 10-10mm order: Pm231 2 way connector	option: 6-6mm / 8-8mm order: Pm232 3 way connector
				
3 way adapter (internal Thread both: Ø12.8 mm) 12.8mm order: Pm223 3 way connector	(external & internal Thread both: Ø12.8 mm) order: Pm224 3 way connector	Thread both diameter: 1/8 (inch) Tube option: 4mm/6mm/8mm/10mm order: Pm225 quick adapter		

Dental accessories

>Oil-free air compressor



Experience build up
the excellent quality



Double switch control system, convenience
for maintenance and after-sales service



Customized solenoid valve,
safe and durable



Professional customized lurr valve with
logo of promed



The spring not only protects the casing of
motor, but also greatly reduces noise.



High quality air pipe can withstand 16KG air
pressure and 120 degree high temperature



Silicone feet to reduce vibration and noise



Professional customized three-way
valve with logo of promed



Integrated silencer box with logo of promed
for more effective noise reduction



ONE TO ONE

1EW-30

SPECIFICATIONS
Supply voltage: 220VAC 50 HZ
Electric current: 2.4 A
Frequency: 550W
Power: 70L/min
Capacity discharge: 0.8 Mpa
Air container volume: 30L
Noise: 56-65 dB
Gross weight: 30kg
Net weight: 25 kg
Size: 430×450×50mm



ONE TO TWO

2EW-35

SPECIFICATIONS
Supply voltage: 220VAC 50 HZ
Electric current: 3.8 A
Frequency: 840W
Power: 100L/min
Capacity discharge: 0.8 Mpa
Air container volume: 35L
Noise: 56-65 dB
Gross weight: 35kg
Net weight: 32 kg
Size: 510×470×750mm

Dental accessories

ONE TO THREE

3EW-45

SPECIFICATIONS
Supply voltage: 220V AC 50 HZ
Electric current: 4.8 A
Frequency: 1100W
Power: 140L/min
Capacity discharge: 0.8 Mpa
Air container volume: 45L
Noise: 60-65 dB
Gross weight: 48 kg
Net weight: 42 kg
Size: 760×470×750mm



ONE TO THREE

3EW-55

SPECIFICATIONS
Supply voltage: 220V AC 50 HZ
Electric current: 4.8 A
Frequency: 1100W
Power: 140L/min
Capacity discharge: 0.8 Mpa
Air container volume: 55L
Noise: 60-65 dB
Gross weight: 54kg
Net weight: 52 kg
Size: 870×470×750mm



ONE TO FOUR

4EW-65

SPECIFICATIONS
Supply voltage: 220V AC 50 HZ
Electric current: 7.5 A
Frequency: 1630W
Power: 200L/min
Capacity discharge: 0.8 Mpa
Air container volume: 65L
Noise: 60-70 dB
Gross weight: 59kg
Net weight: 54 kg
Size: 870×470×750mm



ONE TO SIX

6EW-90

SPECIFICATIONS
Supply voltage: 220V AC 50 HZ
Electric current: 11.4 A
Frequency: 2520W
Power: 300L/min
Capacity discharge: 0.8 Mpa
Air container volume: 90L
Noise: 60-70 dB
Gross weight: 90kg
Net weight: 73 kg
Size: 1100×450×750mm



ONE TO EIGHT

8EW-150

SPECIFICATIONS
Supply voltage: 220V AC 50 HZ
Electric current: 15.2 A
Frequency: 3360W
Power: 400L/min
Capacity discharge: 0.8 Mpa
Air container volume: 150L
Noise: 70-80 dB
Gross weight: 140kg
Net weight: 112 kg
Size: 1450×580×870mm



ONE TO TEN

10EW-180

SPECIFICATIONS
Supply voltage: 220V AC 50 HZ
Electric current: 19A
Frequency: 4200W
Power: 500L/min
Capacity discharge: 0.8 Mpa
Air container volume: 180L
Noise: 70-80 dB
Gross weight: 180kg
Net weight: 133 kg
Size: 1570×580×870mm

Dental accessories

> Silent Box

Customized silent box ,make the noise ultra low



order: SL01

SPECIFICATIONS
Power voltage: 220V AC 50HZ
Current: 3.8A
Noise: 30-38 dB
Gross weight: 22kg
Net Weight: 20kg
Size: 560×680×730mm



order: SL02

SPECIFICATIONS
Power voltage: 220VAC 50HZ
Current: 4.8A
Noise: 30-38 dB
Gross weight: 30kg
Net weight: 24kg
Size: 560×680×730mm

> Central Suction Unit



order: F01

ONE TO ONE SUCTION

SPECIFICATIONS
Supply voltage: 220VAC 50 HZ
Frequency: 50 w
Electric current: 3A
Vacuum Pressure: 200mmhg 0.8Mpa
Air flow: 1000L/min
Motor RPM: 2800RPM

order: F02

ONE TO TWO SUCTION

SPECIFICATIONS
Supply voltage: 220VAC 50 HZ
Frequency: 850 w
Electric current: 5A
Vacuum Pressure: 200mmhg 0.8Mpa
Air flow: 1500L/min
Motor RPM: 3800RPM



order: F06

ONE TO SIX SUCTION

SPECIFICATIONS
Supply voltage: 220VAC 50 HZ
Frequency: 1300 w
Electric current: 7.3A
The highest pressure: 18kpa
Suction flow rate: 7900L/min
Fluid diversion capacity: 710 L/min
Noise: ≥60 dB



Promed & Best dent

Main business: dental products

promedstam@gmail.com
+86 13823485385

PROMED INDUSTRIAL CO., LIMITED



keeping promises,
complete specifications,
reliable quality and reasonable price,
prompt delivery



www.dental-promed.com